

NEWLY DIAGNOSED HIV CASES

In February 2019, there were 1,013 newly confirmed Table 1. Summary of HIV diagnoses and deaths HIV-positive individuals reported to the HIV/AIDS & ART Registry of the Philippines (HARP). Fifteen percent (153) had clinical manifestations of advanced HIV infection (WHO clinical stage 3 or 4) at the time of diagnosis [Table 1].

Ninety-six percent (968) of the newly diagnosed were male. The median age was 28 years old (age range: 2 - 66 years old). More than half of the cases (53%, 532) were 25-34 years old and 29% (297) were 15-24 years old at the time of testing.

Almost a third (32%, 328) were from the National Capital Region (NCR). Region 4A (17%, 171), Region 3 (12%, 122), Region 7 (9%, 90), and Region 6 (7%, 71). Comprised the top five regions with the most number of newly diagnosed cases for the month, together accounting for 77% of the total [Figure 2].

Sexual contact remained as the predominant mode of transmission (98%, 988). Among the newly diagnosed, 60% (603) reported transmission through male to male sex, 24% (243) through sex with both males and, and 14% (142) were through male to female sex. Other modes of transmission were sharing of infected needles (1%, 11) and mother-to-child transmission (<1%, 2). There were 12 cases that had no data on mode of transmission.

Among the newly diagnosed females this month, three were pregnant at the time of diagnosis. One case each from Regions 6, 8, and CARAGA.

Anti-retroviral Treatment (ART)

In February 2019, there were 810 patients who were initiated on ART. The median CD4 of these patients upon enrollment was 185 cells/mm³ [Figure 3].

A total of 35,278 people living with HIV (PLHIV) were presently on ART as of February 2019. Most of whom were males (97%). The age of reported cases ranged from 9 months to 80 years (median: 31 years old). Ninety-five percent were on first line regimen, 4% were on second line, and 1% were on other line of regimen.

Fig. 3: Number of ART initiation per month, 2017-2019



The total figure reflected on this section are the number of HIV positive adult and pediatric patients currently enrolled and accessing Antiretroviral (ARV) medication in 88 treatment hubs and primary HIV care treatment facilities that had reported in the HARP. This report did not include patients who have previously taken ARV but have died, left the country, have been lost to follow-up and/or opted not to take ARV. Lost to follow-up is considered once a person have failed to visit a treatment facility more than 3 months after the expected date of ARV refill.

Note: January 2019 data were used for Mabalacat RHWC, EVRMC, and Bernardo SHC due to late report submission. While partial February 2019 data were used for Marikina SHC and SPMC.

Demographic Data	Feb 2019	Jan-Feb 2019	Jan 2014 -Feb 2019	Jan 1984- Feb 2019
Total reported cases	1,013	2,262	47,815	64,291
With advanced infection ^a	153	349	5,945	7,447
Male	968	2,158	45,623	60,239b
Female	45	104	2,192	4,041 ^b
Age Range	2-66	1-72	1 mo-82	1 mo-82 ^c
Median Age	28	27	28	28
Age groups: <15 y/o	2	6	120	185°
15-24 y/o	297	692	14,048	18,232°
25-34 y/o	532	1,142	24,665	32,786 ^c
35-49 y/o	160	362	7,898	11,346 ^c
50 y/o & above	22	60	1,084	1,669°
Pregnant	3	11	276	304
Reported deaths ^d	59	81	2,315	3,135

a WHO clinical stage 3 or 4

Fig. 1: Number of newly diagnosed cases per month, 2017-2019





Fig. 2: Proportion by region of residence among newly




No data on sex for 11 cases No data on age for 73 cases

^d Reported death's due to any cause and not necessarily AIDS related

HIV/AIDS EPIDEMIC TRENDS IN THE PHILIPPINES (January 1984 - February 2019)

The first case of HIV infection in the Philippines was reported in 1984. Since then, there have been 64,291 confirmed HIV cases reported to the HARP. Ninety-four percent (60,239) of those diagnosed were male and 6% (4,041) were female; there were no data on sex for 11 cases. At the time of diagnosis, more than half (51%, 32,786) were from the 25-34 year age group while 18,232 (28%) were youth 15-24 years old. The median age of diagnosis was 28 years old (age range: 1 month - 82 years); there were no data on age for 73 cases. Seventy-four percent (47,815) of the total diagnosed cases in the Philippines were reported from January 2014 to February 2019. Twelve percent (7,447) of the total ever reported cases had clinical manifestations of advanced infection at the time of reporting (WHO clinical stage 3 & 4) [Table 1].

Fig. 4: Number of HIV cases reported in the Philippines by year, Jan 1984 to Feb 2019 (N=64,291)



Age and Sex

of 216 cases) of those diagnosed were female. However, since 1991 the proportion of diagnosed males has been greater than that of females each year. From 1991 to present, males comprised 94% (60,156) of the 64,064^a diagnosed cases in the Philippines. In addition, from January 2018 to February 2019, three percent (390) of 12,986 diagnosed people who were assigned male at birth their self-identity as female (transgender reported women b).


The number of diagnosed HIV infections among females has also been increasing [Figure 5]. The number of females diagnosed (45) in February 2019 were nearly triple the


In the early years of the epidemic (1984-1990), 62% (133 number compared to the diagnosed cases (18) in same period of 2014, five years prior. Ninety-three percent (3,744) of all female cases since 1984 were in the reproductive age group (15-49 years old) at the time of diagnosis.

> The predominant age group among those diagnosed has shifted to 25-34 years old starting from 2006 from 35-49 years old between 2001 to 2005 [Figure 6]. Further, the proportion of HIV positive cases in the 15-24 year age group nearly doubled in the past ten years, from 17% in 2000-2009 to 29% in 2010-2019.

^aNo data on sex for 11 cases bData on transgender identity was captured in HARP starting January 2018.

Fig. 5: Number of females diagnosed per year, Jan 1984 to Feb 2019 (N=4,041)





Geographic distribution

From January 1984 to February 2019, the regions with the Table 2: Number of HIV cases diagnosed by region most number of reported cases were NCR with 25,148 (39%) cases, Region 4A with 9,618 (15%) cases, Region 3 with 5,939 (9%) cases, Region 7 with 5,773 (9%) cases, and Region 11 with 3,560 (6%) cases. Twenty percent (13,115) of the cases came from the rest of the country (ROTC) while 1,138 (2%) did not report region of residence [Table 2].

Of the 4,041 females reported with HIV, 1,052 (26%) were from NCR, 629 (16%) were from Region 3, 504 (12%) were from Region 7, 448 (11%) were from Region 4A and 1,105 (27%) were from other regions; while 303 (8%) had no reported data on region of residence.

The regions with the most number of overseas Filipino workers (OFW) reported to HARP were from NCR with 2,098 (33%) cases, Region 4A with 1,120 (17%) cases, and Region 3 with 748 (12%) cases.

Region	Feb 2019 (N=1,013)	Jan-Feb 2019 (N=2,262)	Jan 2014 - Feb 2019 (N=47,815) ^a	Jan 1984 - Feb 2019 (N=64,291) ^b
NCR	328 (32%)	730 (32%)	17,548 (37%)	25,148 (39%)
4A	171 (17%)	399 (18%)	7,625 (16%)	9,618 (15%)
3	122 (12%)	236 (10%)	4,670 (10%)	5,939 (9%)
7	90 (9%)	187 (8%)	4,365 (9%)	5,773 (9%)
11	35 (4%)	66 (3%)	2,637 (6%)	3,560 (6%)
Rest of the country	267 (26%)	644 (29%)	10,962 (22%)	13,115 (20%)

^aNo data on region of residence for 8 (<1%) cases

b No data on region of residence for 1,138 (2%) cases

Modes of transmission

From January 1984 to February 2019, sexual contact among MSM (85%, 51,010) was the predominant mode of transmission among males, followed by male-female sex (11%, 6,625), and sharing of infected needles (3%, 2,055). More than half of MSM (53%, 26,882) were 25-34 years old at the time of testing, and 31% (15,633) were 15-24 years old. Among diagnosed females, male-female sex was the most common mode of transmission (92%. 3,729) followed by sharing of infected needles (3%, 128) [Table 3].

A total of 163 children (less than 10 years old*), eight adolescents (10-19 years old*), and one adult foreigner (22 years old*) were reported to have acquired HIV through mother-to-child transmission.

From 1984 to 2006, the predominant mode of transmission was male-female sex. From 2007, the trend shifted to sexual contact among MSM as the predominant mode of transmission and has remained as such to the present. From January 2014 to February 2019, 83% (39,771) out of the total (47,815) diagnosed cases were among MSM.

From 1984 to 2009, transmission through sharing of infected needles were less than one percent of the total cases reported. The proportion of HIV cases among people who inject drugs (PWID) increased sharply in 2010, at 9% (147) of the total cases reported that year. Further, the proportion of new cases among PWID decreased to <6% of the total cases in the succeeding years (2011-present).

Table 3. Modes of HIV transmission


Mode of Transmission	Feb 2019 (N=1,013)		Jan-Feb 2019 (N=2,262)		Jan 2014- Feb 2019 (N=47,815)		Jan 1984- Feb 2019 (N=64,291) ^b	
	Ma	Fa	М	F	М	F	М	F
Sexual contact	946	42	2,116	95	43,999	2,059	57,635	3,729
Male-female sex	100	42	184	95	4,228	2,059	6,625	3,729
Male-male sex	603	-	1,383	-	25,946	-	32,802	-
Sex w/ males & females ^c	243	-	549	-	13,825	-	18,208	-
Blood/blood products	0	0	0	0	0	0	5	15
Sharing of infected needles	11	0	18	2	1,401	72	2,055	128
Needlestick injury	0	0	0	0	0	0	2	1
Mother to child	0	2	2	4	59	51	91	81
No data	11	1	22	3	164	10	451	87

a Sex at hirth: M= Male, F = Female

Regional patterns vary across the modes of transmission. Forty-two percent of ever diagnosed males who have sex with males were from NCR; almost all (99%) reported cases among people who inject drugs were from Region 7; and 32% of females who engaged in transactional sex were from Region 3.

* Based on the age at the time of diagnosis

Fig. 7: Cumulative number of diagnosed per year by mode of transmission, Jan 1984 to Feb 2019 (N=64,291)



SPECIFIC POPULATIONS

Youth (15-24 years old)

In February 2019, 297 (29%) cases were among youth 15-24 years old; 95% were male. Almost all (98%, 292) were infected through sexual contact (28 male-female sex, 193 male-male sex, 71 sex with both males & females.). One (<1%) was infected through sharing of needles and four (1%) had no data on mode of transmission.

From January 1984 to February 2019, 18,232 (28%) of the reported cases were 15-24 years old. Ninety-seven percent (17,641) were infected through sexual contact (2,008 male-female sex, 10,442 male-male sex, 5,191 sex with both males & females^{*}), 474 (3%) were infected through sharing of needles, one (<1%) was infected through mother-to-child transmission and 116 (1%) had no data on mode of transmission. Seventy-seven percent (14,048 out of 18,232) of all those 15-24 years old at the time of testing were diagnosed from January 2014 to February 2019. From 1984 to 2002, 71% (179) of the cases among the youth were females. However, in 2003, there was an equal number (7) of males and females reported. Since then, the trend has shifted to male predominance.

b No data on sex for 11 cases

^c Among males only

^a No reported Mode of Transmission (MOT) for (549) cases, Jan 1984—Feb 2019
^b Others include the following MOT: needle prick injury, blood/blood products, and mother-to-child transmission Note: Cumulative HIV cases include reported death

^{*} Among males only




Children (<10 yo) & Adolescents (10-19)

adolescents 10-19 years old at the time of diagnosis. Further, 10 cases were 15-17 years old and 37 cases were 18-19 years old. Almost all were infected through sexual contact (5 male-female sex, 29 male-male sex, and 11 had sex with both males & females), one was infected through sharing of needles and one had no data on mode of transmission. In addition, there were two diagnosed cases less than 10 years old and both were infected through mother-to-child transmission.

Four percent (2,690) of all diagnosed cases from January 1984 to February 2019 were 19 years old and younger at the time of diagnosis. Of these, 166 (6%) were children less than 10 years old. Among them 163 were infected through mother-to-child transmission; one through blood transfusion; and two had no data on mode of transmission. Ninety-four percent (2,524 out of 2,690) were adolescents 10 to 19 years old. Further, 19 were 10-14 years old, 328 were 15-17 years old and 2,177 were from 18-19 age group. Ninety-five percent of the adolescents were infected through sexual contact (288 male-female sex, 1,551 malemale sex, and 570 sex with both males & females), 88 (3%) were infected through sharing of infected needles, 8 (<1%) through mother-to-child transmission, and 19 (1%) had no data on the mode of transmission.

Fig. 8: Modes of transmission among children and adolescents, Jan 1984 to Feb 2019 (N=2,690)




Overseas Filipino Workers (OFW)

In February 2019, there were 47 newly diagnosed Eighty-eight Filipinos who worked overseas within the past five years, whether on land or at sea, were diagnosed in February 2019. They comprised 9% of the total newly diagnosed cases for the month. Among them, ninety-three percent (82) were male. All were infected through sexual contact (20 male-female sex, 45 male-male sex, and 23 sex with both males and females). The ages of male OFWs ranged from 18 to 63 years (median: 31 years). More than half (57%) of the cases belonged to the 25-34 year age group. Among the six female OFWs diagnosed in February 2019, one case was from 15-24 age group, two cases were from age groups 25-34 years old, two cases were 35-49 years old and one case was older than 50 years. The age range among diagnosed female OFWs were 24 to 54 years (median: 36 years).

> From January 1984 to February 2019, ten percent (6,433) of the total cases were OFWs (Figure 9). Of these, 5,553 (86%) were male. Majority (72%) of the transmission among male OFW cases were through sexual contact among MSM (2,328 male-male sex and 1,674 sex with both males and females). The ages of male OFWs ranged from 16 to 80 years (median: 32 years). Among female OFWs, ages ranged from 20 to 73 years (median: 34 years old).

Fig. 9: Number of reported OFW diagnosed with HIV, Jan 1984 to Feb 2019 (N=6,433)



People who engage in transactional sex

People who engage in transactional sex are those who Table 4. Age and sex of people diagnosed with HIV who reported that they either pay for sex, regularly accept payment for sex, or do both. Reporting of transactional sex was included in the HARP starting December 2012.

In February 2019, 11% (107) of the newly diagnosed engaged in transactional sex [Table 4]. Ninety-eight percent (105) were male and aged from 17 to 66 years old (median: 30 years). Majority of the males (57%, 60) reported paying for sex only, 30% (32) reported accepting payment for sex only and 12% (13) engaged in both. In addition, both of the two female cases were reported to have accepted payment for sex.

A total of 6,322 cases reported to HARP from December 2012 to February 2019 were people who engaged in transactional sex. Ninety-six percent (6,067) were male and 4% (255) were female. There were 3,394 (54%) who paid for sex, 1,975 (31%) who accepted payment for sex, and 953 (15%) who engaged in both [Table 4].

engaged in transactional sex

chigagea iii	tiansaction	ut 3CX	
Type of Transactional Sex	Feb 2019 (N=107)	Jan-Feb 2019 (N=255)	Dec 2012-Feb 2019 (N=6,322)
Accepted payment for sex only:	34 (32%)	71 (28%)	1,975 (31%)
Male	32	64	1,821
Female	2	7	154
Age Range (Median)	17-43 (26)	17-55 (26)	12-68 (26)
Paid for sex only:	60 (56%)	149 (58%)	3,394 (54%)
Male	60	149	3,373
Female	0	0	21
Age Range (Median)	18-66 (32)	18-72 (32)	14-79 (31)
Engaged in both:	13 (12%)	35 (14%)	953 (15%)
Male	13	35	873
Female	0	0	80
Age Range (Median)	21-40 (28)	18-52 (30)	15-62 (29)


Pregnant women living with HIV

Reporting of pregnancy status at the time of testing was included in the HARP from the year 2011.

In February 2019, three pregnant women were newly diagnosed with HIV. One each from Regions 6, 8 and CARAGA. The age of diagnosis ranged from 23 to 34 (median age: 26).

Since 2011, a total of 304 diagnosed pregnant cases were reported. More than half (56%, 169) were 15-24 years old at the time of diagnosis, and 38% (115) were 25-34 years old [Figure 10]. The regions with highest number of diagnosed pregnant cases with HIV were NCR (49%), Region 7 (23%), Region 4A (9%), and Region 3 (6%).

Fig. 10: Number of HIV positive woman who were pregnant at the time of diagnosis by age group, Jan 2011 to Feb 2019 (N=304)



DEATHS AMONG PEOPLE WITH HIV

In February 2019, there were 59^a reported deaths due to any cause among people with HIV and 95% of whom were males [Table 5]. Four cases (7%) were 15-24 years old at the time of death, 37 cases (63%) were 25-34 years old, 15 cases (25%) were 35-49 years old and three (5%) were older than 50 years. Almost all of the cases were reported to have acquired the infection through sexual contact: 10 through male-female sex, 34 through male-male sex, and 13 through males who have sex with both males and females. Two reported deaths had no data on mode of transmission.

A total of 3,135 deaths were reported from January 1984 to February 2019 and 91% (2,826) of whom were male. Twenty-three (1%) were less than 15 years old at the time of death, 474 (15%) were 15-24 years old, 1,556 (50%) were 25-34 years old, 871 (28%) were 35-49 years old, and 209 (6%) were 50 years and older [Table 5]^b.

Sexual contact (96%) was the most common mode of HIV transmission among reported deaths (677 male-female sex, 1,484 male-male sex, 855 sex with both males and females). Other mode of transmission of reported deaths were sharing of infected needles (59), mother-to-child transmission (22), and blood transfusion (9)[Figure 11]^c.

Table 5. Demographic data of reported deaths among people

Demographic Data	Feb 2019	Jan-Feb 2019	Jan 1984 – Feb 2019
Total Reported Deaths	59ª	81	3,135
Male	56	76	2,840
Female	3	5	295
Age group: <15 y/o	0	0	23 ^b
15-24 y/o	4	8	474 ^b
25-34 y/o	37	50	1,556 ^b
35-49 y/o	15	19	871 ^b
50 y/o & abov	e 3	4	209₺

^a Based on the date reported; the actual date of death may not necessarily fall in this

Fig. 11: Proportion of reported deaths among people with HIV by mode of transmission



reporting month

No data available on age for 2 cases



National HIV/AIDS & STI Surveillance and Strategic Information Unit (NHSSS)

Epidemiology Bureau, Department of Health, 2/F Bldg. 19, San Lazaro Compound, Sta. Cruz, Manila 1003 Philippines

Tel: +632 651-7800 local 2926, 2952 Fax: +632 495-0513 Email: hivepicenter@gmail.com Website: http://www.doh.gov.ph



HIV/AIDS & ART Registry of the Philippines (HARP) Report **Editorial Team**



MD, MPH, PHSAE

HIV/AIDS & ART Registry of the Philippines (HARP)

The HIV/AIDS & ART Registry of the Philippines (HARP) is the official record of total number of diagnoses (laboratory-confirmed) and deaths among people with HIV in the Philippines. All individuals in the registry are confirmed by the San Lazaro Hospital STD/AIDS Cooperative Central Laboratory (SACCL) which is the National Reference Laboratory (NRL) of the Department of Health (DOH) for HIV/ AIDS. Mandatory HIV testing is unlawful in the Philippines (Republic

The process of reporting to the HARP is as follows: All blood samples from accredited HIV testing facilities that are screened HIV reactive are sent to SACCL for confirmation by Western Blot. Confirmed HIV positive individuals are reported to the DOH-Epidemiology Bureau (EB) and are recorded in the HARP.

The HARP is a passive surveillance system. Except for HIV confirmation by the NRL, all other data submitted to the HARP are secondary and cannot be verified. As such, HARP cannot determine if an individual's reported place of residence is where the person got infected, or where the person lived after being infected, or where the person is presently living. This limitation has major implications on data interpretation. Readers are advised to interpret the data with caution and consider other sources of information before arriving at

Based on the date reported; the actual date of death may not necessarily fall in this reporting month

^b No data available on age for 2 cases ^c No data available on mode of transmission for 29 cases



DOH Designated HIV Treatment Hubs & Primary HIV Care Facilities*

Treatment Hubs (outpatient and inpatient care & treatment)

Region	Name of Facility	Address	Contact numbers
	Ilocos Training and Regional Medical Center	Parian, San Fernando City, La Union	(072) 607-6418/ (072) 607-9912
1	Mariano Marcos Memorial Hospital and Medical Center	Barangay 6 San Julian, Batac, Ilocos Norte	(077) 600-8000
-	Region 1 Medical Center (PINAS—Unit)	Arellano St. Dagupan City, Pangasinan 2400	(075) 515-8916/ 515-3030
2	Cagayan Valley Medical Center	Dalan na Pagayaya, Carig Sur, Tuguegarao, Cagayan	(078) 304-1410 / (078) 304-1810
2	Veterans Regional Hospital	Magsaysay, Bayombong, Nueva Vizcaya	(078) 805-3561 loc. 1225
	Allied Care Experts Medical Center - Baliwag (EmbrACE Unit)	Pinagbarilan, Baliuag, Bulacan	0933-873-7688 / (044) 816-1000 Loc 204
	Bataan General Hospital (Bataan HAVEN)	Manahan St., Tenejero, Balanga City, Bataan	(047) 237-1274/ (047) 237-1275 loc. 103/ 09998844522
	Bulacan Medical Center (Luntiang Silong)	Bulacan Medical Center 3rd Floor Pay 3 - Room 301 Mojon, City of Malolos, Bulacan	09234051309 / 09155214322
	Dr. Paulino J. Garcia Memorial Research and Medical Center (Sanctuario De Paulino)	Mabini St., Cabanatuan City, Nueva Ecija	(044)463-8888 loc. 181 / 09177736638/ 0917571686
3	Jose B. Lingad Memorial Regional Hospital (Bahay LInGAD)	Brgy. San Dolores, San Fernando, Pampanga	(045) 435-6801 / 09336215028
	James L. Gordon Memorial Hospital (L.E.A.D. Shelter)	#1 Perimeter Rd., New Asinan, Olongapo City	(047) 602-4052/ 09988627015
	Premiere Medical Center (TAHANAN sa Premiere)	Maharlika Highway, Daan Sarile, Cabanatuan City, Nueva Ecija	(044) 463-7845 to 49 loc. 2073 / 09322128175 / 09052944300 / 095968173441
	President Ramon Magsaysay Memorial Hospital (Balin Kalinga)	Zambales Medical Society Building (beside Eye Center Clinic) Palanginan, Iba Zambales	09153966014/ 09192442299
	Tarlac Provincial Hospital (TPH Cares)	Tarlac Provincial Hospital Compound, San Vicente, Tarlac City	(045) 491-8970 loc. 247
	Batangas Medical Center	Kumintang Ibaba, Batangas City	(043) 723-0165
	Laguna Medical Center	J. De Leon St, Santa Cruz, Laguna	(049) 543-3351 / 09178465901
4A	General Emilio Aguinaldo Memorial Hospital	Brgy Luciano Trece Martires Cavite	(046) 6860856
44	Quezon Medical Center	Brgy XI, Quezon Avenue, Lucena, Quezon Province	(042) 717-6323 loc. 342
	Ospital ng Biñan	Canlalay Bridge, Biñan, Laguna	(049) 511-4119
	Calamba Doctors Hospital	San Cristobal Bridge, Calamba, Laguna	(049) 545 7371
	Ospital ng Palawan	220 Malvar St. Puerto Princesa City	(048) 434-6864 / (048) 434-2148
4B	Occidental Mindoro Provincial Hospital (ARUGA)	Paluan Road, Mamburao, Occidental Mindoro	(043) 711-1116
	Oriental Mindoro Provincial Hospital (Purple Rain Clinic) Bicol Regional Training and Teaching Hospital	Sta. Isabel, Calapan City, Oriental Mindoro Rizal St., Legazpi City	09164691469 (052) 483-0017 loc. 4227
5	Bicol Medical Center	BMC Road, Naga, Camarines Sur	(054) 811-7800
	Western Visayas Medical Center	Q. Abeto St., Mandurriao, Iloilo City	(033) 321-1631
	Corazon Locsin Montelibano Memorial Regional Hospital	2nd flr. OPD Bldg. CLMMRH, Lacson St. cor Burgos, Bacolod City	(034) 707-2280
6	Dr. Rafael Tumbokon Memorial Hospital	Mabini St., Kalibo, Aklan	(036) 268-6299
	The Medical City—Iloilo	Locsin St., Molo, Iloilo City	(033) 500-1000
	Angel Salazar Memorial General Hospital	Tobias A. Fornier St, San Jose de Buenavista, Antique	
	Vicente Sotto Memorial Medical Center	B. Rodriguez St., Cebu City	(032) 254-4155 / (032) 253-9891 to 96 loc. 102
	Negros Oriental Provincial Hospital Gov. Celestino Gallares Memorial Hospital	Real St., Dumaguete City, Negros Oriental M. Parras St., Tagbilaran City	(6335) 225-0950/225-0949 (038) 411-4868
7	Visayas Community Medical Center (Balay Malingkawasnon)	Osmeña Blvd., Cebu City	(032) 253 1901
	Eversley Childs Sanitarium and General Hospital	Upper Jagobiao Rd, Mandaue City, Cebu	(032) 346 2468
	Talisay District Hospital	San Isidro, Dakbayan sa Talisay	(032) 273 3226
	Eastern Visayas Regional Medical Center	Magsaysay Blvd., Tacloban City	(053) 321-3121 / (053) 321-3363
	Northern Samar Provincial Hospital	Catarman, Northern Samar	(055) 500-9770
0	Biliran Provincial Health Office	Naval, Biliran	0 917631479
8	Hilongos District Hospital	CV Alcuiwo St., Hilongos, Leyte	(053) 336-2102
	Eastern Samar Provincial Hospital	Borongan, Eastern Samar	(055) 560-9869
	Felipe Abrigo Memorial Hospital	Hillsview, Guiuan, Eastern Samar	(055) 271-2180
9	Zamboanga City Medical Center	Dr. Evangelista St., Sta. Catalina, Zamboanga City	(062) 991-2934
10	Northern Mindanao Medical Center	Provincial Capitol Compound, Cagayan de Oro City	(082) 856-4147
11	Southern Philippines Medical Center Davao Doctors Hospital	J. P. Laurel St., Bajada, Davao City 118 E Quirino Avenue, Poblacion District, Davao City,	(082) 227-2731 loc. 5140 / (082) 321-7061 (082) 222 8000
	Davao Regional Medical Center (RED STAR Clinic)	Davao del Sur Apokon, Tagum City, Davao del Norte	(084) 400-3347 / 09239598931
12	South Cotabato Provincial Hospital	Aguinaldo St., Koronadal City, South Cotabato	(083) 228-4571
CAR	Baguio General Hospital and Medical Center	Governor Pack Road., Baguio City	(074) 442-4216 loc. 381 / 09155816480
	CARAGA Regional Hospital	Rizal St. National Road, Surigao City	(086) 826-0568 / 09173068186
CARAGA	Butuan Medical Center Adela Serra Ty Memorial Medical Center	Km 5 Baan, Butuan City	09173208799
	(SDS Wellness) Democrito O. Plaza Memorial Hospital (Heart Room)	Capitol Hills, Telaje, Tandag, Surigao del Sur P2, Patin-ay, Prosperidad, Agusan del Sur	086) 211-4306 09274698162
	San Lazaro Hospital	Quiricada St., Sta. Cruz, Manila	(02) 310-3128
	Philippine General Hospital (SAGIP—Unit)	Taft Ave., Manila	(02) 554-8400 loc. 3249
	Sta. Ana Hospital	New Panaderos St., Sta. Ana, Manila	(02) 516-6790
NCR	Research Institute for Tropical Medicine	Filinvest Corporate City, Alabang, Muntinlupa City	(02) 807-2628 loc. 332
	The Medical City (i-REACT Clinic) - Pasig	Ortigas Ave., Pasig City	(02) 988-1000 loc. 6765
	Makati Medical Center (Center for Tronical & Travel Medicine)	#2 Amorsolo St., Legaspi Village, Makati City	(02) 888-8999 loc. 2134 (CTTM) / 09178014314
	makati medicat center (center for fropicat a fravet medicine)	, 0 . 0 .	

^{*} As per DOH Department Memorandum No. 2018-0031

DOH Designated HIV Treatment Hubs & Primary HIV Care Facilities*

Primary HIV Care Facilities (outpatient care & treatment)

Region	Name of Facility	Address	Contact Information
	Angeles City Reproductive Health and Wellness Center and Primary HIV Care Clinic (Bale Angeleño)	C. Surla St., Balibago, Angeles City	09260726899/ 09325479455
	Guiguinto RHU II Primary Care Clinic Center (Gintong Kanlungan)	2nd flr, RHU II, Green Estate Subdivision, Guiguinto, Bulacan	(044)760-3450/ 09325478488/ 09260726900
	Mabalacat RHU II (Lingap Balacat)	Brgy. Dau, Mabalacat City Pampanga	09991067475 / 09260726596
_	Maria Aurora Community Hospital	Saturno St., Brgy. 01, Maria Aurora, Aurora	09219112727
3	Ospital ng Lungsod ng San Jose del Monte	Sapang Palay, San Jose Del Monte, Bulacan	09236335634
	RE De Jesus Multi-Specialty Clinic and Diagnostic Center (The Green Clinic)	Brgy. Caypombo (Back of LBC Caypombo), Sta.Maria, Bulacan	(044) 815-3145/ 09368040043
	Dr. Paulino J. Garcia Memorial Research and Medical Center - Talavera Extension Hospital (Talevera's Hope)	Maestrang Kikay District, Talavera, Nueva Ecija	(044) 806-2276/ 09358124776/ 09218881119
	Antipolo Social Hygiene Clinic	M. Santos St., Brgy. San Roque, Antipolo City	(02) 696-4097
	Dasmariñas City Health Office I (SHC)	Zone 2, Manggubat St., City Health Office I, Dasmariñas, Cavite	(046) 416-0279
4A	Bacoor Social Hygiene Clinic	Floraville Subdivision, Panapaan 1, Bacoor City	09086144183
	Imus Social Hygiene Clinic	Medicion 1C, Velarde Subdivision, Imus	(046) 434-4057/ 09267013539/ 09258787158
	Cebu Social Hygiene Clinic	General Maxilom Avenue Extension, Carreta, Cebu City	(032) 233-0987/ 09255591663
7	Mandaue City Social Hygiene Clinic	Mandaue City Health Office, F.B. Kabahog Street, Centro Mandaue City	(032) 268-2489/ 09285077400
	Talisay City SHC	Multi Purpose Bldg, Brgy. Poblacion, Talisay City	4915567/ 2734704
8	Ormoc City Health Office	CHO Aunubing Street, Barangay Cogon, Ormoc City, Leyte	09171126000
11	Davao Reproductive Health and Wellness Center	Emilio Jacinto St., Poblacion District, Davao City, Davao del Sur	(082) 222-4187
12	General Santos City Social Hygiene Clinic	City Health Office, Fernandez St., Lagao, General Santos City	(083) 302-8115
	Pasig City Treatment Hub (PATH)	CHAMP Bldg, Caruncho Ave, Pasig City	(02) 798-2572
	Marikina City Satellite Treatment Hub	Marikina Healthy City Center, Shoe Ave., Sto. Niño, Marikina City	(02) 948-8925 / 09175631722
	Manila Social Hygiene Clinic	208 Quiricada St., Sta. Cruz, Manila	(02) 711-6942
NCR	Klinika Bernardo	Ermin Garcia St., Brgy. Pinagkaisahan, Quezon City	(02) 9324033412
NCK	Klinika Novaliches	Annex Building floor, A.J. Maximo Health Center Compound, Quirino Highway, Novaliches, Quezon City	09985734877
	Klinika Project 7	39 Bansalangin St., Veterans Village, Project 7, Quezon City	09178561158
	Love Yourself - Anglo Clinic	3rd floor, Anglo Bldg. Shaw Blvd, Mandaluyong	09278926611
	Las Piñas Social Hygiene Clinic	Barrio Hall, Alabang-Zapote Road, Almansa, Las Piñas City	(02) 800-6406

^{*} As per DOH Department Memorandum No. 2018-0031

Other facilities providing outpatient HIV care and treatment

Region	Name of Facility	Address	Contact Information
1	Ilocos Sur Provincial Hospital - Gabriela Silang	Quirino Blvd., Tamag Vigan Ilocos Sur	09272957363/ 09175641530
ı	Lacasandile Medical Clinic and Diagnostic Center	Bgy. Lacong National Highway, Tagudin Ilocos Sur	09062518009
	San Marcelino District Hospital Shelter of Holistic and Positive Embrace (HoPE)	San Marcelino District Hospital First Floor Admin Building, National Road Sto. Domingo, San Marcelino, Zambales	09398630806
	Apalit Doctors Hospital, Incorporated (ADHope Unit)	Gonzales Ave, San Juan, Apalit, Pampanga	09362724170 / 09432880323
3	Guimba Community Hospital (Balay Ti Namnama)	L. de Ocampo St. Saranay District, Guimba, Nueva Ecija	(044) 951-0485
· ·	Jose C. Payumo Jr. Memorial Hospital (HEARTH Unit)	Tala St. San Ramon, Dinalupihan, Bataan 2110	09295852241/ 09156008004
	RHU 1 Marilao Bulacan (Kanaryong Silungan)	2nd Floor, RHU 1, Northbound NLEX Road, Marilao, Bulacan	09256070888
	Meycauayan City Primary HIV Care Clinic	Peso St., St. Michael Homes, Pandayan, Meycauayan, Bulacan	09272324119/ 09232982649
7	Chong Hua Hospital - Mandaue	Int'l Mantawi Drive. Rec. Area, Bgy. Subangdaku, Mandaue Cebu	(032) 233-8000 loc. 8880
9	Corazon C. Aquino Memorial Hospital	Basong Dipolog, Zamboanga del Norte	(065) 212-5555
	Bernardo Social Hygiene Clinic	Ermin Garcia St., Brgy. Pinagkaisahan, Quezon City	09193635919
	Batasan Hills Super Health Center (Social Hygiene Clinic)	#1 IBP Road, Batasan Hills, Quezon City	09322959752/ 09232790558
	Klinika Batasan (Sundown Clinic)	#1 IBP Road, Batasan Hills, Quezon City	09366573531/ 09228012958
	Malabon City Social Hygiene Clinic	PBM Cpd. Dagat-dagatan cor. Maya-maya St. Lungos Malabon	(02) 373-3431
	Mandaluyong Social Hygiene Clinic	20 M. Lerma St. cor. Vicencio St, Mandaluyong City	(02) 546-7799
NCR	Manila Doctors Hospital	667 United Nations Avenue, Ermita Manila	(02) 558-0888 loc. 4480
NCK	Muntinlupa Reproductive Health and Wellness Center	2nd Floor, Putatan Health Center, National Rd, Putatan, Muntinlupa City	(02) 834-5997
	Pasay City Social Hygiene Clinic	2nd Flr. Doña Elvira Lagrosa Health Center, FB Harrison Pasay	(02) 809-3671
	Project 7 Social Hygiene Clinic	39 Bansalangin St., Veterans Village, Project 7, Quezon City	09204227596/ 09998415060
	San Juan City Social Hygiene Clinic	2nd Floor Batis Health Center, F. Manala St. San Juan City	09176678163 / 09277645343
	Taguig Social Hygiene Clinic	3/F Goldilocks Bldg., Gen. Luna St., Taguig City	(02) 642-1262/ 09267542917
	Valenzuela Social Hygiene Clinic	Valenzuela City Hall, Poblacion II, Malinta, Valenzuela City	(02) 352-6000 loc. 6046