Survey: HIV Risk Behaviour Survey in Tamilnadu and Pondicherry, India, 2001:

HIV Risk Behaviour Survey in <u>Pondicherry</u>, India 2001/02: Commercial Sex Workers

Title:	HIV Risk Behaviour Survey in Pondicherry, India 2001/02: Commercial Sex Workers		
Survey Type:	BSS		
Country:	India		
Year:	2001		
Start Date:	[n/a]		
End Date:	[n/a]		
Respondents:	Female	Male	
	Respondent: Target Groups	Respondent: [n/a]	
	Age: 18 - 50 Age: [n/a]		
	Sample Size: 50	Sample Size: [n/a]	
	Facilities Households		
	Sample Size: [n/a]	Sample Size: [n/a]	
Implementing:	Voluntary Health Services, Chennai, India		
Description:	Sections of the final report cover: Background Information, Sexual Behavior, STD and HIV/AIDS Knowledge, STD Health Seeking Behavior, HIV Testing.		
Footnote:	[n/a]		

Indicators:	4.1.2) Knowledge of HIV prevention methods - Use of condoms (prompted) (100%)	
	5.1.1) Population receiving an HIV test 10%,n=50	
	8.1) Higher risk sex in the last year 100%,n=50	
	8.2) Condom use at last higher risk sex 76%, n=50	

HIV Risk Behaviour Survey in Pondicherry, India 2001/02: Men who have sex with Men

Title:	HIV Risk Behaviour Survey in Pondicherry, India 2001/02: Men who have sex with Men
Survey Type:	BSS
Country:	India
Year:	2001
Start Date:	[n/a]
End Date:	[n/a]

Respondents:	Female	Male
	Respondent: [n/a]	Respondent: Target Groups
	Age: [n/a]	Age: 15 - 40
	Sample Size: [n/a]	Sample Size: 80
	Facilities	Households
	Sample Size: [n/a]	Sample Size: [n/a]
Implementing:	Voluntary Health Services, Chennai, India	
Description:	Sections of the final report cover: Background Information, Sexual Behavior, STD and HIV/AIDS Knowledge, STD Health Seeking Behavior, HIV Testing. Surveyed Men who have sex with Men in the last 6 months. Combined data from surveys in Tamilnadu and Pondicherry.	
Footnote:	[n/a]	

l 	
Indicators:	4.1.2) Knowledge of HIV prevention methods - Use of condoms (prompted) = 93%
	5.1.1) Population receiving an HIV test = 13%
	8.1) Higher risk sex in the last year = 25%
	8.2) Condom use at last higher risk sex
	8.3) Commercial sex in last year =16%
	8.4) Condom use at last commercial sex, reported by client
	8.7) Condom use at last anal sex between men (65%, n=49)
	12.4) Men and women seeking treatment for STIs

HIV Risk Behaviour Survey in Pondicherry, India 2001/02: Truckers and Helpers

Title:	HIV Risk Behaviour Survey in Pondicherry, India 2001/02: Truckers and Helpers		
Survey Type:	BSS		
Country:	India		
Year:	2001		
Start Date:	[n/a]		
End Date:	[n/a]		
Respondents:	Female	Male	
	Respondent: [n/a]	Respondent: Target Groups	
	Age: [n/a]	Age: [n/a]	
	Sample Size: [n/a]	Sample Size: 252	
	Facilities	Households	
	Sample Size: [n/a]	Sample Size: [n/a]	
Implementing:	Voluntary Health Services, Chennai, India		
Description:	Sections of the final report cover: Background Information, Sexual Behavior, STD and HIV/AIDS Knowledge, STD Health Seeking Behavior, HIV Testing.		

Footnote:	[n/a]
<u></u>	

Indicators:

- 4.1.2) Knowledge of HIV prevention methods Use of condoms (prompted) =84%
- 5.1.1) Population receiving an HIV test 18%
- 8.1) Higher risk sex in the last year 30%
- 8.2) Condom use at last higher risk sex 69% ,n=75
- 8.3) Commercial sex in last year 20%, n=252
- 8.4) Condom use at last commercial sex, reported by client 77%, n=51
- 12.4) Men and women seeking treatment for STIs 42%, n=31

HIV Risk Behaviour Survey in Pondicherry, India 2001/02: Factory Workers

Title:	HIV Risk Behaviour Survey in Pondicherry, India 2001/02: Factory Workers		
Survey Type:	BSS		
Country:	India		
Year:	2001		
Start Date:	[n/a]		
End Date:	[n/a]		
Respondents:	Female	Male	
	Respondent: Target Groups	Respondent: Target Groups	
	Age: 18 - 35	Age: 18 - 35	
	Sample Size: 351 Sample Size: 354		
	Facilities	Households	
	Sample Size: [n/a]	Sample Size: [n/a]	
Implementing:	Voluntary Health Services, Chennai, India		
Description:	Sections of the final report cover: Background Information, Sexual Behavior, STD and HIV/AIDS Knowledge, STD Health Seeking Behavior, HIV Testing.		
Footnote:	[n/a]		

Indicators:

- 4.1.2) Knowledge of HIV prevention methods Use of condoms (prompted) (female=74%, male=89%)
- 5.1.1) Population receiving an HIV test (female 1%, male 16%)
- 8.1) Higher risk sex in the last year (female=0, male=14%)
- 8.2) Condom use at last higher risk sex (male=69%, n=49)
- 8.3) Commercial sex in last year (male=9%)
- 8.4) Condom use at last commercial sex, reported by client (male=87%, n=31)
- 12.4) Men and women seeking treatment for STIs (55%, n=29)

HIV Risk Behaviour Survey in Pondicherry, India 2001/02: Male Youth in Slums

Title:	HIV Risk Behaviour Survey in Pondicherry, India 2001/02: Male Youth in Slums		
Survey Type:	BSS		
Country:	India		
Year:	2001		
Start Date:	[n/a]		
End Date:	[n/a]		
Respondents:	Female	Male	
	Respondent: [n/a]	Respondent: Target Groups	
	Age: [n/a]	Age: 15 - 24	
	Sample Size: [n/a]	Sample Size: 408	
	Facilities	Households	
	Sample Size: [n/a] Sample Size: [n/a]		
Implementing:	Voluntary Health Services, Chennai, India		
Description:	Sections of the final report cover: Background Information, Sexual Behavior, STD and HIV/AIDS Knowledge, STD Health Seeking Behavior, HIV Testing. Survey of unmarried men aged 15-24 who live in slums.		
Footnote:	[n/a]		

Indicators:	4.1.2) Knowledge of HIV prevention methods - Use of condoms (prompted) =89%
	5.1.1) Population receiving an HIV test =14%
	8.3) Commercial sex in last year =12%
	8.4) Condom use at last commercial sex, reported by client =84%, n=49
	9.2) Young people having premarital sex in last year =19%
	9.5) Young people using a condom at last higher risk sex =71%,n=77
	12.4) Men and women seeking treatment for STIs =41%,n=32

HIV Risk Behaviour Survey in Pondicherry, India 2001/02: Students

Title:	HIV Risk Behaviour Survey in Pondicherry, India 2001/02: Students
Survey Type:	BSS
Country:	India
Year:	2001
Start Date:	[n/a]
End Date:	[n/a]

Respondents:	Female	Male
	Respondent: Target Groups	Respondent: Target Groups
	Age: - 35	Age: - 30
	Sample Size: 1715	Sample Size: 1706
	Facilities	Households
	Sample Size: [n/a]	Sample Size: [n/a]
Implementing:	Voluntary Health Services, Chennai, India	
Description:	Sections of the final report cover: Background Information, Sexual Behavior, STD and HIV/AIDS Knowledge, STD Health Seeking Behavior. Surveyed umarried students, studying in recognized educational institutions.	
Footnote:	[n/a]	

Indicators:	4.1.2)	Knowledge of HIV prevention methods - Use of condoms (prompted) female=53%, male=91%
	8.1)	Higher risk sex in the last year female=0, male=6%
	8.2)	Condom use at last higher risk sex male=63%, n=106
	8.3)	Commercial sex in last year male=3%
	8.4)	Condom use at last commercial sex, reported by client =75%, n=44
	12.4)	Men and women seeking treatment for STIs =26%,n=119

Survey: HIV Risk Behaviour Survey in Tamilnadu and Pondicherry, India, 2001

HIV Risk Behaviour Survey in <u>Tamilnadu</u>, India 2001: Factory Workers

Title:	HIV Risk Behaviour Survey in Tamilna	ndu, India 2001: Factory Workers	
Survey Type:	BSS		
Country:	India		
Year:	2001		
Start Date:	[n/a]		
End Date:	[n/a]		
Respondents:	Female	Male	
	Respondent: Target Groups	Respondent: Target Groups	
	Age: 18 - 35	Age: 18 - 35	
	Sample Size: 1607 Sample Size: 1836		
	Facilities Households		
	Sample Size: [n/a] Sample Size: [n/a]		
Implementing:	Voluntary Health Services, Chennai, India		
Description:	Sections of the final report cover: Background Information, Sexual Behavior, STD and HIV/AIDS Knowledge, STD Health Seeking Behavior, HIV Testing. Combined data from Tamilnadu and Pondicherry.		
Footnote:	[n/a]		

Indicators:	4.1.2) Knowledge of HIV prevention methods - Use of condoms (prompted) female=65%, male=96%	
	5.1.1)	Population receiving an HIV test female=1%, male=5%
	8.1)	Higher risk sex in the last year female=1%, male=10%
	8.2)	Condom use at last higher risk sex male=34%, n=177
	8.3)	Commercial sex in last year male=5%
	8.4)	Condom use at last commercial sex, reported by client 63%, n=88
	12.4)	Men and women seeking treatment for STIs =47%, n=79

HIV Risk Behaviour Survey in Tamilnadu, India 2001: Male Youth in Slums (15-24)

	HIV Risk Behaviour Survey in Tamilnadu, India 2001: Male Youth in Slums (15-24)	
Survey Type:	BSS	
Country:	India	

Year:	2001		
Start Date:	[n/a]		
End Date:	[n/a]		
Respondents:	Female	Male	
	Respondent: [n/a]	Respondent: Target Groups	
	Age: [n/a]	Age: 15 - 24	
	Sample Size: [n/a]	Sample Size: 800	
	Facilities	Households	
	Sample Size: [n/a]	Sample Size: [n/a]	
Implementing:	Voluntary Health Services, Chennai, India		
Description:	Sections of the final report cover: Background Information, Sexual Behavior, STD and HIV/AIDS Knowledge, STD Health Seeking Behavior, HIV Testing. Survey of unmarried men aged 15-24 who live in slums.		
Footnote:	[n/a]		

Indicators:	4.1.2)	Knowledge of HIV prevention methods - Use of condoms (prompted) 96%
	5.1.1)	Population receiving an HIV test 3%
	8.3)	Commercial sex in last year 8%
	8.4)	Condom use at last commercial sex, reported by client 69%, n=64
	9.2)	Young people having premarital sex in last year 13%
	9.5)	Young people using a condom at last higher risk sex 52%, n=107
	12.4)	Men and women seeking treatment for STIs 33%, n=42

HIV Risk Behaviour Survey in Tamilnadu, India 2001: Commercial Sex Workers

Title:	HIV Risk Behaviour Survey in Tamilnadu, India 2001: Commercial Sex Workers		
Survey Type:	BSS		
Country:	India		
Year:	2001		
Start Date:	[n/a]		
End Date:	[n/a]		
Respondents:	Female	Male	
	Respondent: Target Groups	Respondent: [n/a]	
	Age: 18 - 50	Age: [n/a]	
	Sample Size: 400	Sample Size: [n/a]	
	Facilities Households		
	Sample Size: [n/a]	Sample Size: [n/a]	

Implementing:	Voluntary Health Services, Chennai, India	
Description:	Sections of the final report cover: Background Information, Sexual Behavior, STD and HIV/AIDS Knowledge, STD Health Seeking Behavior, HIV Testing.	
Footnote:	[n/a]	

Indicators:	,	Knowledge of HIV prevention methods - Use of condoms (prompted) 96% Population receiving an HIV test 24%
		Higher risk sex in the last year 100% Condom use at last higher risk sex 88%

HIV Risk Behaviour Survey in Tamilnadu, India 2001: Truckers and Helpers

Title:	HIV Risk Behaviour Survey in	Tamilnadu, India 2001: Truckers and Helpers	
Survey Type:	BSS		
Country:	India		
Year:	2001		
Start Date:	[n/a]		
End Date:	[n/a]		
Respondents:	Female	Male	
	Respondent: [n/a]	Respondent: Target Groups	
	Age: [n/a]	Age: [n/a]	
	Sample Size: [n/a]	Sample Size: 841	
	Facilities	Households	
	Sample Size: [n/a]	Sample Size: [n/a]	
Implementing:	Voluntary Health Services, Chennai, India		
Description:	Sections of the final report cover: Background Information, Sexual Behavior, STD and HIV/AIDS Knowledge, STD Health Seeking Behavior, HIV Testing.		
Footnote:	[n/a]		

Indicators:	4.1.2)	Knowledge of HIV prevention methods - Use of condoms (prompted) 98%	
	5.1.1)	Population receiving an HIV test 16%	
	8.1)	Higher risk sex in the last year 23%	
	8.2)	Condom use at last higher risk sex 78%, n=196	
	8.3)	Commercial sex in last year 17%	
	8.4)	Condom use at last commercial sex, reported by client 94%, n=145	
	12.4)	Men and women seeking treatment for STIs 79%, n=70	

HIV Risk Behaviour Survey in Tamilnadu, India 2001: Men who have sex with Men

Title:	HIV Risk Behaviour Survey in with Men	Tamilnadu, India 2001: Men who have sex	
Survey Type:	BSS		
Country:	India		
Year:	2001		
Start Date:	[n/a]		
End Date:	[n/a]		
Respondents:	Female	Male	
	Respondent: [n/a]	Respondent: Target Groups	
	Age: [n/a]	Age: 15 - 45	
	Sample Size: [n/a]	Sample Size: 125	
	Facilities Households		
	Sample Size: [n/a] Sample Size: [n/a]		
Implementing:	Voluntary Health Services, Chennai, India		
Description:	Sections of the final report cover: Background Information, Sexual Behavior, STD and HIV/AIDS Knowledge, STD Health Seeking Behavior, HIV Testing. Survey conducted among Men who have sex with Men in the last 6 months.		
Footnote:	[n/a]		

Indicators:	4.1.2)	Knowledge of HIV prevention methods - Use of condoms (prompted) 94%
	5.1.1)	Population receiving an HIV test 12%
	8.1)	Higher risk sex in the last year 29%
	8.2)	Condom use at last higher risk sex 42%, n=36
	2.2	
	8.3)	Commercial sex in last year 14%, n=125
	8.4)	Condom use at last commercial sex, reported by client
	8.7)	Condom use at last anal sex between men 45%, n=85
	12.4)	Men and women seeking treatment for STIs 32%, n=37

HIV Risk Behaviour Survey in Tamilnadu, India 2001: Male Injecting Drug Users

Title:	HIV Risk Behaviour Survey in Tamilnadu, India 2001: Male Injecting Drug Users
Survey Type:	BSS

Country:	India		
Year:	2001		
Start Date:	[n/a]		
End Date:	[n/a]		
Respondents:	Female	Male	
	Respondent: [n/a] Age: [n/a] Sample Size: [n/a]	Respondent: Target Groups Age: 15 - 25 Sample Size: 77	
	Facilities	Households	
	Sample Size: [n/a]	Sample Size: [n/a]	
Implementing:	Voluntary Health Services, Chennai, India		
Description:	Sections of the final report cover: Background Information, Sexual Behavior, STD and HIV/AIDS Knowledge, STD Health Seeking Behavior, HIV Testing. Surveyed men, who injected illicit drugs in the past three months		
Footnote:	[n/a]		

Indicators:	4.1.2)	Knowledge of HIV prevention methods - Use of condoms (prompted) 96%, n=77
	5.1.1)	Population receiving an HIV test = 5%
	8.1)	Higher risk sex in the last year 52%
	8.2)	Condom use at last higher risk sex 38%, N=40
	8.3)	Commercial sex in last year 34%, N=77
	8.4)	Condom use at last commercial sex, reported by client 42%, N=26
	8.7)	Condom use at last anal sex between men
	10.3.1)	Drug injectors using condom at last sex with a commercial sex worker 42%, N=26
	10.3.2)	Drug injectors using condom at last sex with a non-regular partner 16%, N=33