
The HIV Epidemic Among Self-Identified Gay Men and Other Men who have Sex with Men in Asia A Crisis Requiring a "Business Unusual" Approach



MSM in cities : At least 2 times higher than national MSM HIV prevalence in most countries


HIV prevalence among adults (15-49) and men who have sex with men, 2010-2013



Getting to zero

Source: Prepared by <u>www.aidsdatahub.org</u> based on National HIV Sentinel Surveillance Surveys and Integrated Biological and Behavioural Surveys; and UNAIDS. (2014). The Gap Report


The modelling shows the expanding HIV epidemic among MSM



Source: Prepared by www.aidsdatahub.org based on Commission on AIDS in Asia 2008

Getting to zero

Consistent condom use is still very low : majority are not using condom consistently




Source: Prepared by www.aidsdatahub.org based on Behavioral Surveillance Surveys and Integrated Biological and Behavioural Surveys

How to ensure "no one left behind" if 2 in 3 MSM do not even know their HIV status

HIV testing coverage among men who have sex with men, 2009-2013 100 HIV prevalence (%) 80 68 60 48 43 39 40 34 29 26 20 9 5 India^{*} (2013) Myanmar (2009) Regional median a) China (2012) Indonesia (2011) Viet Nam (2013) Thailand (2012) Philippines (2013) Philippines (2013) Pakistan* (2011) * Programme data; ** Male sex workers UNAIDS Getting to zero

Source: Prepared by www.aidsdatahub.org based on www.aidsinfoonline.org

Mismatch in investment



Getting to zero

Source: Prepared by www.aidsdatahub.org based on www.aidsinfoonline.org